NEUTRIK

NAC3MPA-1

電源用レセプタクルコネクター NACシリーズ パワーインレット

powerCON（パワコン）は大容量かつロック機構を備えた、全く新しいタイプの3極電源コネクターです。

スピコンで培われたノウハウを踏襲し、オリジナルワンタッチロック機構、イージーアッセンブルを実現。

インレットとアウトレットはコネクターの構造と色を変え、オペレーションミスを未然に防ぐ仕様となっています。

製品の特長

・定格電圧：250V ac
・定格電流：20A
・適合ダストカバー：SCDM、SCDX

※活線挿抜非対応です。通電中の挿抜は行わないで下さい。

NAC3MPA-1　NAC3MPA-1-WOT

Technical Information

All rights reserved / 23.08.2025

NEUTRIK

Product	
Title	NAC3MPA-1
Gender	male

Electrical	
Contact resistance	≤ 3 mΩ
Dielectric strength	4 kVdc / 2.8 kVac
Insulation resistance	> 0.1 GΩ (after damp heat test IEC 68-2-30)
Number of electrical contacts	2 + PE
Rating Europe	EN 61984:20 A 250 V AC
Rating USA	UL 1977:20 A 250 V AC

Mechanical	
Lifetime	> 1000 mating cycles
Wiresize	
Locking device	Quick Lock
Mounting direction	Front mounting
Chassis shape	D

Material	
Contact plating	2 µm Ag
Locking element	Steel Ck67
Shell	Polyamide (PA 6.6 30 % GR)
Contacts	Bronze (CuNi1Si0.2)

All rights reserved / 23.08.2025

Environmental	
Flammability	UL 94 V-0
Temperature range	-30 °C to +80 °C

All rights reserved / 23.08.2025