



## SR8A

Crimp type strain relief for cable O.D. 3 - 3.8 mm

Special crimp type strain relief establishes an ideal circumferential connection of the cable shield to the connector shell as required by best EMC working practice.

Crimp standard: 5.41 mm / IEC 803

The modular system of the miniCON series offers the possibility to assemble a desired connector from a wide range of various parts. Including additional parts for special versions (e.g. cable connector extension, crimp set, ...).

The neutriCON connectors are designed for multipin/industrial applications in harsh and demanding environment. The very robust all metal circular connector offers easy and screwless assembly, flexible part combination and a push-pull locking mechanism.

## Features & Benefits

- ✓ Contact configuration can be selected from 1 to 8 contacts
- ✓ Easy assembly: Contact soldering / crimping in disassembled condition avoids awkward wiring of high density contacts.
- ✓ Precise and robust all metal housing
- ✓ Push-pull self-locking system
- ✓ Coding system possible (polarization)

### Polarization


**Housing:** Two variants of metal polarizing guides (90° and 180°).

Coding 90°

Coding 180°

**Insert:** The male and female insert can be assembled in all three housings.

Modular System



Technical Information

| Product         |           |  |
|-----------------|-----------|--|
| Title           | SR8A      |  |
| Connection Type | neutriCON |  |

| Mechanical |  |
|------------|--|
| Crimp size | 5,41 Hex crimp (shield) acc. IEC 60803 (die designation D) |
| Wiresize   |  |